



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Inorganics									
Chloride	EPA-300.0	5.5	mg/L	1	0.50	250	06/16/09	06/16/09 17:25	
Fluoride	EPA-300.0	ND	mg/L	1	0.050	2.0	06/16/09	06/16/09 17:25	
Nitrate as N	EPA-300.0	0.69	mg/L	1	0.10	10	06/16/09	06/16/09 17:25	
Sulfate	EPA-300.0	19	mg/L	1	1.0	250	06/16/09	06/16/09 17:25	
Nitrate + Nitrite as N	Calc	0.69	mg/L	1	0.10	10	06/19/09	06/22/09 14:14	
Turbidity	EPA-180.1	ND	NT Units	1	0.10	5	06/17/09	06/17/09 08:50	
Nitrite as N	EPA-353.2	ND	mg/L	1	0.050	1	06/16/09	06/16/09 16:01	

Metals									
Total Recoverable Aluminum	EPA-200.7	ND	mg/L	1	0.050	0.2	06/17/09	06/23/09 13:31	
Total Recoverable Antimony	EPA-200.8	ND	mg/L	1	0.0020	0.006	06/22/09	06/22/09 19:59	
Total Recoverable Arsenic	EPA-200.8	ND	mg/L	1	0.0020	0.010	06/22/09	06/22/09 19:59	
Total Recoverable Barium	EPA-200.7	0.015	mg/L	1	0.010	2	06/17/09	06/23/09 13:31	
Total Recoverable Beryllium	EPA-200.8	ND	mg/L	1	0.0010	0.004	06/22/09	06/22/09 19:59	
Total Recoverable Cadmium	EPA-200.8	ND	mg/L	1	0.0010	0.005	06/22/09	06/22/09 19:59	
Total Recoverable Chromium	EPA-200.7	ND	mg/L	1	0.010	0.1	06/17/09	06/23/09 13:31	
Total Recoverable Copper	EPA-200.7	ND	mg/L	1	0.010	1.0	06/17/09	06/23/09 13:31	
Total Recoverable Iron	EPA-200.7	ND	mg/L	1	0.050	0.3	06/17/09	06/23/09 13:31	
Total Recoverable Lead	EPA-200.8	ND	mg/L	1	0.0010	0.005	06/22/09	06/22/09 19:59	
Total Recoverable Manganese	EPA-200.7	ND	mg/L	1	0.010	0.05	06/17/09	06/23/09 13:31	
Total Recoverable Mercury	EPA-245.1	ND	mg/L	1	0.00020	0.002	06/26/09	06/29/09 11:33	
Total Recoverable Nickel	EPA-200.7	ND	mg/L	1	0.010	0.1	06/22/09	06/23/09 13:31	
Total Recoverable Selenium	EPA-200.8	ND	mg/L	1	0.0020	0.05	06/22/09	06/22/09 19:59	
Total Recoverable Silver	EPA-200.7	ND	mg/L	1	0.010	0.1	06/17/09	06/23/09 13:31	
Total Recoverable Thallium	EPA-200.8	ND	mg/L	1	0.0010	0.002	06/22/09	06/22/09 19:59	
Total Recoverable Zinc	EPA-200.7	ND	mg/L	1	0.050	5.0	06/22/09	06/23/09 13:31	

Organics									
1,2-Dibromo-3-chloropropane	EPA-504.1	ND	ug/L	0.947	0.010	0.2	06/22/09	06/23/09 03:50	V01
Ethylene dibromide	EPA-504.1	ND	ug/L	0.947	0.010	0.05	06/22/09	06/23/09 03:50	
Aldrin	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	V11
alpha-BHC	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	V11
beta-BHC	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
delta-BHC	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
gamma-BHC (Lindane)	EPA-508	ND	ug/L	1	0.0050	0.2	06/18/09	06/23/09 22:19	V11
Chlordane (Technical)	EPA-508	ND	ug/L	1	0.50	2	06/18/09	06/23/09 22:19	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
-------------	--------	--------	-------	----------	-----	--------	-----------	---------------	-----------

Organics

4,4'-DDD	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
4,4'-DDE	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	V11
4,4'-DDT	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
Dieldrin	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
Endosulfan I	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
Endosulfan II	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
Endosulfan sulfate	EPA-508	ND	ug/L	1	0.0050		06/18/09	06/23/09 22:19	
Endrin	EPA-508	ND	ug/L	1	0.0050	2	06/18/09	06/23/09 22:19	V11
Endrin aldehyde	EPA-508	ND	ug/L	1	0.010		06/18/09	06/23/09 22:19	V11
Heptachlor	EPA-508	ND	ug/L	1	0.0050	0.4	06/18/09	06/23/09 22:19	
Heptachlor epoxide	EPA-508	ND	ug/L	1	0.0050	0.2	06/18/09	06/23/09 22:19	
Methoxychlor	EPA-508	ND	ug/L	1	0.0050	40	06/18/09	06/23/09 22:19	V11
Toxaphene	EPA-508	ND	ug/L	1	2.0	3	06/18/09	06/23/09 22:19	
PCB-1016	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1221	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1232	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1242	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1248	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1254	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
PCB-1260	EPA-508	ND	ug/L	1	0.20		06/18/09	06/23/09 22:19	
Total PCB's (Summation)	EPA-508	ND	ug/L	1	0.20	0.5	06/18/09	06/23/09 22:19	
TCMX (Surrogate)	EPA-508	91.6	%	1	72 - 129 (LCL - UCL)		06/18/09	06/23/09 22:19	
Dibutyl chlorendate (Surrogate)	EPA-508	108	%	1	82 - 177 (LCL - UCL)		06/18/09	06/23/09 22:19	V11
Bentazon	EPA-515.1	ND	ug/L	1	0.80		06/22/09	07/07/09 06:01	V11
2,4-D	EPA-515.1	ND	ug/L	1	0.40	70	06/22/09	07/07/09 06:01	
Dalapon	EPA-515.1	ND	ug/L	1	10	200	06/22/09	07/07/09 06:01	V11
Dicamba	EPA-515.1	ND	ug/L	1	0.080		06/22/09	07/07/09 06:01	V11
Dinoseb	EPA-515.1	ND	ug/L	1	0.20	7	06/22/09	07/07/09 06:01	
2,4,5-TP (Silvex)	EPA-515.1	ND	ug/L	1	0.070	50	06/22/09	07/07/09 06:01	
2,4-Dichlorophenylacetic acid (Surrogate)	EPA-515.1	75.3	%	1	50 - 128 (LCL - UCL)		06/22/09	07/07/09 06:01	
Benzene	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
Bromobenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Bromochloromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Bromodichloromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Bromoform	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics									
Bromomethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	V01,V11
n-Butylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
sec-Butylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
tert-Butylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Carbon tetrachloride	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
Chlorobenzene	EPA-524.2	ND	ug/L	1	0.50	100	06/17/09	06/17/09 23:35	
Chloroethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Chloroform	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Chloromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
2-Chlorotoluene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
4-Chlorotoluene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Dibromochloromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2-Dibromo-3-chloropropane	EPA-524.2	ND	ug/L	1	1.0	0.2	06/17/09	06/17/09 23:35	
1,2-Dibromoethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Dibromomethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2-Dichlorobenzene	EPA-524.2	ND	ug/L	1	0.50	600	06/17/09	06/17/09 23:35	
1,3-Dichlorobenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,4-Dichlorobenzene	EPA-524.2	ND	ug/L	1	0.50	75	06/17/09	06/17/09 23:35	
Dichlorodifluoromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,1-Dichloroethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2-Dichloroethane	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
1,1-Dichloroethene	EPA-524.2	ND	ug/L	1	0.50	7	06/17/09	06/17/09 23:35	
cis-1,2-Dichloroethene	EPA-524.2	ND	ug/L	1	0.50	70	06/17/09	06/17/09 23:35	
trans-1,2-Dichloroethene	EPA-524.2	ND	ug/L	1	0.50	100	06/17/09	06/17/09 23:35	
1,2-Dichloropropane	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
1,3-Dichloropropane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
2,2-Dichloropropane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,1-Dichloropropene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
cis-1,3-Dichloropropene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
trans-1,3-Dichloropropene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Total 1,3-Dichloropropene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Ethylbenzene	EPA-524.2	ND	ug/L	1	0.50	700	06/17/09	06/17/09 23:35	
Hexachlorobutadiene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Isopropylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
p-Isopropyltoluene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics									
Methylene chloride	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Methyl t-butyl ether	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Naphthalene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
n-Propylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Styrene	EPA-524.2	ND	ug/L	1	0.50	100	06/17/09	06/17/09 23:35	
1,1,1,2-Tetrachloroethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,1,2,2-Tetrachloroethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Tetrachloroethene	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
Toluene	EPA-524.2	ND	ug/L	1	0.50	1000	06/17/09	06/17/09 23:35	
1,2,3-Trichlorobenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2,4-Trichlorobenzene	EPA-524.2	ND	ug/L	1	0.50	70	06/17/09	06/17/09 23:35	
1,1,1-Trichloroethane	EPA-524.2	ND	ug/L	1	0.50	200	06/17/09	06/17/09 23:35	
1,1,2-Trichloroethane	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
Trichloroethene	EPA-524.2	ND	ug/L	1	0.50	5	06/17/09	06/17/09 23:35	
Trichlorofluoromethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2,3-Trichloropropane	EPA-524.2	ND	ug/L	1	1.0		06/17/09	06/17/09 23:35	
1,1,2-Trichloro-1,2,2-trifluoroethane	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2,4-Trimethylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,3,5-Trimethylbenzene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
Vinyl chloride	EPA-524.2	ND	ug/L	1	0.50	2	06/17/09	06/17/09 23:35	
Total Xylenes	EPA-524.2	ND	ug/L	1	1.0	10000	06/17/09	06/17/09 23:35	
Total Trihalomethanes	EPA-524.2	ND	ug/L	1	2.0	10	06/17/09	06/17/09 23:35	
t-Amyl Methyl ether	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
t-Butyl alcohol	EPA-524.2	ND	ug/L	1	10		06/17/09	06/17/09 23:35	
Ethyl t-butyl ether	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
p- & m-Xylenes	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
o-Xylene	EPA-524.2	ND	ug/L	1	0.50		06/17/09	06/17/09 23:35	
1,2-Dichloroethane-d4 (Surrogate)	EPA-524.2	100	%	1	76 - 114 (LCL - UCL)		06/17/09	06/17/09 23:35	
Toluene-d8 (Surrogate)	EPA-524.2	100	%	1	88 - 110 (LCL - UCL)		06/17/09	06/17/09 23:35	
4-Bromofluorobenzene (Surrogate)	EPA-524.2	105	%	1	86 - 115 (LCL - UCL)		06/17/09	06/17/09 23:35	
Acenaphthylene	EPA-525.2	ND	ug/L	1	0.10		06/23/09	06/30/09 02:11	
Alachlor	EPA-525.2	ND	ug/L	1	0.20	2	06/23/09	06/30/09 02:11	
Anthracene	EPA-525.2	ND	ug/L	1	0.10		06/23/09	06/30/09 02:11	
Atraton	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Atrazine	EPA-525.2	ND	ug/L	1	0.30	3	06/23/09	06/30/09 02:11	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics									
Benzo[a]anthracene	EPA-525.2	ND	ug/L	1	0.20		06/23/09	06/30/09 02:11	
Benzo[b]fluoranthene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Benzo[k]fluoranthene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Benzo[a]pyrene	EPA-525.2	ND	ug/L	1	0.10	0.2	06/23/09	06/30/09 02:11	
Benzo[g,h,i]perylene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Benzyl butyl phthalate	EPA-525.2	ND	ug/L	1	4.0		06/23/09	06/30/09 02:11	
delta-BHC	EPA-525.2	ND	ug/L	1	0.20		06/23/09	06/30/09 02:11	
gamma-BHC (Lindane)	EPA-525.2	ND	ug/L	1	0.10	0.2	06/23/09	06/30/09 02:11	
Bromacil	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Chrysene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Diazinon	EPA-525.2	ND	ug/L	1	0.20		06/23/09	06/30/09 02:11	
Dibenzo[a,h]anthracene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Di(2-ethylhexyl)adipate	EPA-525.2	ND	ug/L	1	1.0	400	06/23/09	06/30/09 02:11	
Dimethoate	EPA-525.2	ND	ug/L	1	2.0		06/23/09	06/30/09 02:11	
Dimethyl phthalate	EPA-525.2	ND	ug/L	1	1.0		06/23/09	06/30/09 02:11	
Di-n-butyl phthalate	EPA-525.2	ND	ug/L	1	1.0		06/23/09	06/30/09 02:11	
Fluorene	EPA-525.2	ND	ug/L	1	0.20		06/23/09	06/30/09 02:11	
Hexachlorobenzene	EPA-525.2	ND	ug/L	1	0.10	1	06/23/09	06/30/09 02:11	
Hexachlorocyclopentadiene	EPA-525.2	ND	ug/L	1	1.0	50	06/23/09	06/30/09 02:11	
Indeno[1,2,3-cd]pyrene	EPA-525.2	ND	ug/L	1	0.30		06/23/09	06/30/09 02:11	
Methoxychlor	EPA-525.2	ND	ug/L	1	0.30	40	06/23/09	06/30/09 02:11	
Metolachlor	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Metribuzin	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Molinate	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Phenanthrene	EPA-525.2	ND	ug/L	1	0.10		06/23/09	06/30/09 02:11	
Prometon	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Prometryn	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Pyrene	EPA-525.2	0.15	ug/L	1	0.10		06/23/09	06/30/09 02:11	
Sebumeeton	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Simazine	EPA-525.2	ND	ug/L	1	0.30	4	06/23/09	06/30/09 02:11	
Terbutryn	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Thiobencarb	EPA-525.2	ND	ug/L	1	0.50		06/23/09	06/30/09 02:11	
Perylene-d12 (Surrogate)	EPA-525.2	74.0	%	1	70 - 130 (LCL - UCL)		06/23/09	06/30/09 02:11	

Uncatergorized

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Seven-Up Bottling Company of Modesto
400 Hosmer Avenue
Modesto, CA 95351

Project: Title 21 Bottled Water
Project Number: [none]
Project Manager: Tony Varni

BCL Sample ID: 0907826-01	Client Sample Name: Noah's Spring Water, 6/16/2009 1:20:00PM
----------------------------------	---

Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Uncategorized									
Pentachlorophenol	EPA-515.1	ND	ug/L	1	0.050		06/22/09	07/07/09 06:01	
Picloram	EPA-515.1	ND	ug/L	1	0.050		06/22/09	07/07/09 06:01	
bis(2-Ethylhexyl)phthalate	EPA-525.2	3.8	ug/L	1	3.0		06/23/09	06/30/09 02:11	
1,3-Dimethyl-2-nitrobenzene (Surrogate)	EPA-525.2	89.3	%	1	70 - 130 (LCL - UCL)		06/23/09	06/30/09 02:11	
Triphenylphosphate (Surrogate)	EPA-525.2	108	%	1	70 - 130 (LCL - UCL)		06/23/09	06/30/09 02:11	
Dibromoacetic acid	EPA-552.3	ND	ug/L	1	1.0		06/23/09	07/02/09 02:21	
Dichloroacetic acid	EPA-552.3	ND	ug/L	1	1.0		06/23/09	07/02/09 02:21	
Monobromoacetic acid	EPA-552.3	ND	ug/L	1	1.0		06/23/09	07/02/09 02:21	
Monochloroacetic acid	EPA-552.3	ND	ug/L	1	1.0		06/23/09	07/02/09 02:21	
Trichloroacetic acid	EPA-552.3	ND	ug/L	1	1.0		06/23/09	07/02/09 02:21	
2,3-Dibromopropionic acid (Surrogate)	EPA-552.3	80.0	%	1	70 - 130 (LCL - UCL)		06/23/09	07/02/09 02:21	
Total Recoverable Calcium	EPA-200.7	4.3	mg/L	1	0.10		06/17/09	06/23/09 13:31	
Total Recoverable Magnesium	EPA-200.7	120	mg/L	1	0.050		06/17/09	06/23/09 13:31	
Total Recoverable Sodium	EPA-200.7	7.2	mg/L	1	0.50		06/17/09	06/23/09 13:31	
Total Dissolved Solids @ 180 C	SM-2540C	410	mg/L	3.333	33		06/18/09	06/18/09 13:20	
Color	SM-2120B	1.0	Color Units	1	1.0		06/17/09	06/17/09 08:50	
Odor	SM-2150B	No Obs Odor	Odor Units	1	1.0		06/17/09	06/17/09 08:50	
Total Cyanide	EPA-335.4	ND	mg/L	1	0.0050		06/17/09	06/18/09 11:47	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A