

Client: Noah's California Spring Water 7-UP

Project ID: IBWA Appendix A

IBWA Appendix A

Sampled: 06/18/07

Received: 06/15/07

| Analyte | Method | Units | Sample Result | MCL Level | Exceeds MCL | Trigger Level | Exceeds Trigger | Data Qualifiers |
|--------------------------------------------------------|------------------|----------|----------------------|-----------|--------------------------|---------------|--------------------------|-----------------|
| CQF0560-01 (7130 (Blue Cap) Spring H2O - Water) | | | | | | | | |
| Gross Beta | E900.0 | pCi/L | 2.78+/-1.5 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Ra-226 | E903.1 | pCi/L | 0.159+/-0.079 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Ra-228 | E904.0 | pCi/L | 0.479+/-0.22 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| pH | EPA 150.1 | pH Units | 8.6 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Turbidity | EPA 180.1 | NTU | ND | 1 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Iron | EPA 200.7 | mg/l | ND | 0.3 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Aluminum | EPA 200.8 | ug/l | ND | 200 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Uranium | EPA 200.8 | ug/l | ND | 29 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Antimony | EPA 200.8 | ug/l | ND | 6 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Arsenic | EPA 200.8 | ug/l | ND | 10 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Barium | EPA 200.8 | ug/l | 12 | 1000 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Beryllium | EPA 200.8 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Cadmium | EPA 200.8 | ug/l | ND | 5 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Chromium | EPA 200.8 | ug/l | 3.7 | 50 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Copper | EPA 200.8 | ug/l | ND | 650 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Lead | EPA 200.8 | ug/l | ND | 5 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Manganese | EPA 200.8 | ug/l | ND | 50 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Nickel | EPA 200.8 | ug/l | ND | 100 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Selenium | EPA 200.8 | ug/l | ND | 50 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Silver | EPA 200.8 | ug/l | ND | 100 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Thallium | EPA 200.8 | ug/l | ND | 2 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Zinc | EPA 200.8 | ug/l | ND | 5000 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Mercury | EPA 245.1 | ug/l | ND | 2 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Chloride | EPA 300.0 | mg/l | 6.1 | 250 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Nitrate-N | EPA 300.0 | mg/l | 0.59 | 10 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Nitrite-N | EPA 300.0 | mg/l | ND | 1 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Nitrate/Nitrite-N | EPA 300.0 | mg/l | 0.59 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Sulfate | EPA 300.0 | mg/l | 17 | 250 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Bromate | EPA 300.1 | ug/l | ND | 100 | <input type="checkbox"/> | | <input type="checkbox"/> | RL1 |
| Chlorite | EPA 300.1 | ug/l | ND | 1000 | <input type="checkbox"/> | | <input type="checkbox"/> | RL1 |
| 1,2-Dibromoethane (EDB) | EPA 504.1 | ug/l | ND | 0.05 | <input type="checkbox"/> | 0.05 | <input type="checkbox"/> | |
| 1,2-Dibromo-3-chloropropane | EPA 504.1 | ug/l | ND | 0.2 | <input type="checkbox"/> | 0.2 | <input type="checkbox"/> | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>EPA 504.1</i> | | <i>93%</i> | | | | | |
| Alachlor | EPA 505 | ug/l | ND | 2 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | |
| Endrin | EPA 505 | ug/l | ND | 2 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | |
| Heptachlor | EPA 505 | ug/l | ND | 0.4 | <input type="checkbox"/> | 0.4 | <input type="checkbox"/> | |
| Heptachlor epoxide | EPA 505 | ug/l | ND | 0.2 | <input type="checkbox"/> | 0.2 | <input type="checkbox"/> | |
| Lindane (gamma-BHC) | EPA 505 | ug/l | ND | 0.2 | <input type="checkbox"/> | 0.2 | <input type="checkbox"/> | |
| Methoxychlor | EPA 505 | ug/l | ND | 40 | <input type="checkbox"/> | 40 | <input type="checkbox"/> | |
| Chlordane | EPA 505 | ug/l | ND | 2 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | |
| Toxaphene | EPA 505 | ug/l | ND | 3 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Aroclor 1016 | EPA 505 | ug/l | ND | 0.26 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1221 | EPA 505 | ug/l | ND | 0.19 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1232 | EPA 505 | ug/l | ND | 0.23 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1242 | EPA 505 | ug/l | ND | 0.26 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1248 | EPA 505 | ug/l | ND | 0.3 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1254 | EPA 505 | ug/l | ND | 0.33 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Aroclor 1260 | EPA 505 | ug/l | ND | 0.36 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| PCBs as Decachlorobiphenyl (DCB) | EPA 505 | ug/l | ND | 0.5 | <input type="checkbox"/> | | <input type="checkbox"/> | |

Client: Noah's California Spring Water 7-UP

Project ID: IBWA Appendix A

IBWA Appendix A

Sampled: 06/18/07

Received: 06/15/07

| Analyte | Method | Units | Sample Result | MCL Level | Exceeds MCL | Trigger Level | Exceeds Trigger | Data Qualifiers |
|--------------------------------------------------------|------------------|-------|----------------|-----------|--------------------------|---------------|--------------------------|-----------------|
| CQF0560-01 (7130 (Blue Cap) Spring H2O - Water) | | | | | | | | |
| 2,4-D | EPA 515.4 | mg/l | ND | 70 | <input type="checkbox"/> | 70 | <input type="checkbox"/> | |
| Dalapon | EPA 515.4 | mg/l | ND | 200 | <input type="checkbox"/> | 200 | <input type="checkbox"/> | |
| Dinoseb | EPA 515.4 | mg/l | ND | 7 | <input type="checkbox"/> | 7 | <input type="checkbox"/> | |
| Pentachlorophenol | EPA 515.4 | mg/l | ND | 1 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Picloram | EPA 515.4 | mg/l | ND | 500 | <input type="checkbox"/> | 500 | <input type="checkbox"/> | |
| 2,4,5-TP (Silvex) | EPA 515.4 | mg/l | ND | 50 | <input type="checkbox"/> | 10 | <input type="checkbox"/> | |
| <i>Surrogate: 2,4-Dichlorophenylacetic acid</i> | <i>EPA 515.4</i> | | <i>74%</i> | | | | | |
| Benzene | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Bromodichloromethane | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Bromoform | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Carbon tetrachloride | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 0.5 | <input type="checkbox"/> | |
| Chlorobenzene | EPA 524.2 | ug/l | ND | 100 | <input type="checkbox"/> | 50 | <input type="checkbox"/> | |
| Chloroform | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Dibromochloromethane | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| 1,2-Dichlorobenzene | EPA 524.2 | ug/l | ND | 600 | <input type="checkbox"/> | 600 | <input type="checkbox"/> | |
| 1,4-Dichlorobenzene | EPA 524.2 | ug/l | ND | 75 | <input type="checkbox"/> | 75 | <input type="checkbox"/> | |
| 1,2-Dichloroethane | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | |
| 1,1-Dichloroethene | EPA 524.2 | ug/l | ND | 7 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | |
| cis-1,2-Dichloroethene | EPA 524.2 | ug/l | ND | 70 | <input type="checkbox"/> | 70 | <input type="checkbox"/> | |
| trans-1,2-Dichloroethene | EPA 524.2 | ug/l | ND | 100 | <input type="checkbox"/> | 100 | <input type="checkbox"/> | |
| 1,2-Dichloropropane | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 5 | <input type="checkbox"/> | |
| Ethylbenzene | EPA 524.2 | ug/l | ND | 700 | <input type="checkbox"/> | 700 | <input type="checkbox"/> | |
| Methylene chloride | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Naphthalene | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | 300 | <input type="checkbox"/> | |
| Styrene | EPA 524.2 | ug/l | ND | 100 | <input type="checkbox"/> | 100 | <input type="checkbox"/> | |
| 1,1,2,2-Tetrachloroethane | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Tetrachloroethene | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Toluene | EPA 524.2 | ug/l | ND | 1000 | <input type="checkbox"/> | 1000 | <input type="checkbox"/> | |
| 1,2,4-Trichlorobenzene | EPA 524.2 | ug/l | ND | 70 | <input type="checkbox"/> | 9 | <input type="checkbox"/> | |
| 1,1,1-Trichloroethane | EPA 524.2 | ug/l | ND | 200 | <input type="checkbox"/> | 30 | <input type="checkbox"/> | |
| 1,1,2-Trichloroethane | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Trichloroethene | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Vinyl chloride | EPA 524.2 | ug/l | ND | 2 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | C, L |
| m,p-Xylenes | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| o-Xylene | EPA 524.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Xylenes, Total | EPA 524.2 | ug/l | ND | 10000 | <input type="checkbox"/> | 1000 | <input type="checkbox"/> | |
| Methyl-tert-butyl Ether (MTBE) | EPA 524.2 | ug/l | ND | 5 | <input type="checkbox"/> | 70 | <input type="checkbox"/> | |
| Trihalomethanes, Total | EPA 524.2 | ug/l | <2.0 | 80 | <input type="checkbox"/> | 10 | <input type="checkbox"/> | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>EPA 524.2</i> | | <i>88%</i> | | | | | |
| <i>Surrogate: 1,2-Dichlorobenzene-d4</i> | <i>EPA 524.2</i> | | <i>96%</i> | | | | | |
| Atrazine | EPA 525.2 | ug/l | ND | 3 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Benzo(a)pyrene | EPA 525.2 | ug/l | ND | 0.2 | <input type="checkbox"/> | 0.2 | <input type="checkbox"/> | |
| Di(2-ethylhexyl)adipate | EPA 525.2 | ug/l | ND | 400 | <input type="checkbox"/> | 400 | <input type="checkbox"/> | |
| Di(2-ethylhexyl)phthalate | EPA 525.2 | ug/l | ND | 6 | <input type="checkbox"/> | 6 | <input type="checkbox"/> | |
| Hexachlorobenzene | EPA 525.2 | ug/l | ND | 1 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | |
| Hexachlorocyclopentadiene | EPA 525.2 | ug/l | ND | 50 | <input type="checkbox"/> | 50 | <input type="checkbox"/> | |
| Simazine | EPA 525.2 | ug/l | ND | 4 | <input type="checkbox"/> | 4 | <input type="checkbox"/> | |
| <i>Surrogate: 1,3-Dimethyl-2-nitrobenzene</i> | <i>EPA 525.2</i> | | <i>105%</i> | | | | | |
| <i>Surrogate: Triphenylphosphate</i> | <i>EPA 525.2</i> | | <i>103%</i> | | | | | |

Client: Noah's California Spring Water 7-UP

Project ID: IBWA Appendix A

IBWA Appendix A

Sampled: 06/18/07

Received: 06/15/07

| Analyte | Method | Units | Sample Result | MCL Level | Exceeds MCL | Trigger Level | Exceeds Trigger | Data Qualifiers |
|----------------------------------------------------------------|---------------------------|-------------|--------------------|-----------|--------------------------|---------------|--------------------------|-----------------|
| CQF0560-01 (7130 (Blue Cap) Spring H2O - Water) - cont. | | | | | | | | |
| <i>Surrogate: Perylene-d12</i> | <i>EPA 525.2</i> | | <i>74%</i> | | | | | |
| Aldicarb Sulfoxide | EPA 531.1 | ug/l | ND | 4 | <input type="checkbox"/> | 4 | <input type="checkbox"/> | |
| Aldicarb Sulfone | EPA 531.1 | ug/l | ND | 2 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Oxamyl | EPA 531.1 | ug/l | ND | 200 | <input type="checkbox"/> | 200 | <input type="checkbox"/> | |
| Aldicarb | EPA 531.1 | ug/l | ND | 3 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Carbofuran | EPA 531.1 | ug/l | ND | 40 | <input type="checkbox"/> | 40 | <input type="checkbox"/> | |
| Glyphosate | EPA 547 | ug/l | ND | 700 | <input type="checkbox"/> | 700 | <input type="checkbox"/> | |
| Endothall | EPA 548.1 | ug/l | ND | 100 | <input type="checkbox"/> | 100 | <input type="checkbox"/> | M2 |
| Diquat | EPA 549.2 | ug/l | ND | 20 | <input type="checkbox"/> | 20 | <input type="checkbox"/> | |
| <i>Surrogate: 13C-2,3,7,8-TCDD</i> | <i>EPA-5 1613B-Tetras</i> | | <i>60%</i> | | | | | |
| 2,3,7,8-TCDD | EPA-5 1613B-Tetras | pg/L | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Gross Alpha | EPA900.0 | pCi/L | 2.22+/-0.80 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Residual Chlorine | SM 4500 Cl, F | mg/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Chlorine Dioxide | SM 4500 ClO2 D | mg/L | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | N-CLh |
| Chlorine Residual (Total) | SM 4500Cl G | mg/L | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | N-CLh |
| Chlorine Residual (Free) | SM 4500Cl G | mg/L | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | N-CLh |
| Chloramine as Cl2 | SM 4500Cl G | mg/L* | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | N-CLh |
| Fluoride | SM 4500-F-C | mg/l | ND | 2 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Phenols | SM 5530C | mg/L* | 0.0071 | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Color | SM2120B | Color Units | ND | 15 | <input type="checkbox"/> | 5 | <input type="checkbox"/> | |
| Odor | SM2150B | T.O.N. | ND | 3 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | |
| Total Dissolved Solids | SM2540C | mg/l | 410 | 500 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Total Cyanide | SM4500-CN-C,E | mg/l | ND | 0.15 | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Total Coliform | SM9223B | MPN/100 ml | ND | 0.1 | <input type="checkbox"/> | 0.1 | <input type="checkbox"/> | |
| E. Coli | SM9223B | MPN/100 ml | ND | 0.1 | <input type="checkbox"/> | 0.1 | <input type="checkbox"/> | |

Client: Noah's California Spring Water 7-UP

Project ID: IBWA Appendix A

IBWA Appendix A

Sampled: 06/18/07

Received: 06/15/07

| Analyte | Method | Units | Sample Result | MCL Level | Exceeds MCL | Trigger Level | Exceeds Trigger | Data Qualifiers |
|-----------------------------------------------------------|------------------|-------|---------------|-----------|--------------------------|---------------|--------------------------|-----------------|
| CQF0560-01RE1 (7130 (Blue Cap) Spring H2O - Water) | | | | | | | | |
| Dibromoacetic Acid (DBAA) | EPA 552.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Dichloroacetic Acid (DCAA) | EPA 552.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Monobromoacetic Acid (MBAA) | EPA 552.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Monochloroacetic Acid (MCAA) | EPA 552.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Trichloroacetic Acid (TCAA) | EPA 552.2 | ug/l | ND | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| Haloacetic Acids (Five) (HAA5) | EPA 552.2 | ug/l | <6 | 60 | <input type="checkbox"/> | 60 | <input type="checkbox"/> | |
| <i>Surrogate: 2,3-Dibromopropionic Acid</i> | <i>EPA 552.2</i> | | <i>94%</i> | | | | | |

Client: Noah's California Spring Water 7-UP
Project ID: IBWA Appendix A
IBWA Appendix A

Sampled: 06/18/07
Received: 06/15/07

DATA QUALIFIERS AND DEFINITIONS

- C** Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- HFT** Holding time for this test is defined as either immediately or 15 minutes from collection. Analysis was performed at the laboratory.
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- M1** The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- MNR1** There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike Duplicate.
- N-CLh** Chlorine analyzed at lab is outside of the EPA recommended 15 minute holding time.
- pH** pH = 7.5
- RL1** Reporting limit raised due to sample matrix effects.
- U** [Undefined]
- ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND** Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
- RPD** Relative Percent Difference